

Detection Devices

Industrial Hands Free Body Thermometer Pro (Item: TMT3)

New and improved TMT3. Commercial Temperature scanning is essential to get back to work. Our hands-free, infrared body scanning thermometer can make complying to national guidelines easy and affordable. Scan all your employees' body temperature quickly and efficiently.



Features:

Temperature scanning is paramount to getting back to work. This no-contact body scanning thermometer is a perfect tool for the task. Most state guidelines ask all employers to monitor temperatures of employees and even some customers. The TMT3 can detect an employee who exhibits a temperature making your workplace safe from coronavirus and any other seasonal illness that threatens your workplace.

- Hands-free non-contact self-service forehead thermometer test station
- **New** IO signal output for doors and gates
- **New** digital 2.8 inch LCD screen
- **New** adjustable settings for the temperature alarm
- **New** Stores 30 different temperatures in onboard memory
- **New** has software for data report
- **New** displays ambient environment temperature
- **New** Five different volume settings
- Reads body temperatures in less than .5 seconds
- Fever Alarm & high temperature Alarm
- 2-4" measuring distance
- 4 AA batteries (not included) will stand by for 1 week
- No need to hold the thermometer Hangs quickly and easily on any wall or service, or purchase optional tripod [TMT3TP](#)
- Warranty 1 year

Perfect for Office, Subway, Home, Salons, Shop, Community, Entrance or any public place.

See How Easy it is to Use

Detection Devices

Returns and Refunds

To be eligible for a return, your item must be unused in its original unopened packaging and returned within 14 Days from date of sale. If 14 days have gone by since your purchase, unfortunately, we cannot offer you a refund or exchange. Due to health and safety precautions, used items CANNOT be returned for exchange or refund.

Exchanges (if applicable)

We only replace items if they are defective or damaged during shipping. If you need to return to exchange for the same item contact Customer Support. All returns are subject to final inspection upon receipt

This device is not intended for use in the diagnosis of any disease or other conditions or in the cure, mitigation, treatment, or prevention of any disease*



Detection Devices

Tech Specs:

- New 2.8 inch LCD Screen with backlight
- 5 levels of volume settings
- Records Temperatures for 30
- Counting Capacity 9999
- Operations modes: Surface mode| Body Mode| Count Mode
- Accuracy $\pm 0.2^{\circ}\text{F}$
- Operating Temperature 50~104 $^{\circ}\text{F}$ (Recommended 59F~95F)
- Infrared Measuring Range 32~122 $^{\circ}\text{F}$
- $^{\circ}\text{C}$ or $^{\circ}\text{F}$
- Installation Wall mounted double-sided adhesive tape, bracket fixing
- 4 AA Batteries and Wall power
- Power Input DC 4.2~5V
- Standby Duration 30 Seconds
- Standby 1 Week
- Automatic Alarm Flashing with alarm
- Response Time 0.5s
- Dimension Size: 6.69" x 4.53"x5.51"
- Weight 0.77lbs

Includes:

- Main Unit
- Double Sided Tape with hangers attached
- Plastic Anchors and screws
- USB Cable
- Manual
- IO Signal Output supports switch signal and pulse signal